



SAMSUNG Smart Lock



IMPORTERS AND DISTRIBUTORS



An Enterprise of
South India Agencies, Bangalore

Email: gautam@lotuslogistics.co.in
balaji.rao@lotuslogistics.co.in

<http://smarthome.samsungsds.com> / sales.smarthome@samsung.com
Copyright© August, 2019 Samsung SDS Co., Ltd. All rights reserved



SAMSUNG
SMART Doorlock
SAMSUNG SDS
SMART DOORLOCK



Smart IoT Doorlock
Connected Doorlock
Digital Doorlock



WHY SAMSUNG SMART DOORLOCK



- 300

300,000 times locking test to ensure the lock will hold up for long term use.
- 120

120,000 times mortise operation tests.
20% more than the KS requirement (100,000 times), internal quality standard increased.
- 82

82 domestic and international design awards.
World's Three Top Design Awards: iF Design Award (Germany), Red Dot Design Award, IDEA Design Award (U.S.)
(Prizewinning Count: Based on product models)
- 45


45,000 times door open/close test in a real-life environment.
- 22

22-year of experience in the home network business.
- 06

Restriction of six specific harmful substances in the products.


Next generation of Push-Pull doorlock

Building upon the previous generation breakthroughs with multiple access methods precision engineering and design, the new generation Smart IoT Doorlock provides upgraded accessibility strengthened security and connectivity with your smartphone.





SAMSUNG IoT SMART DOORLOCK

Samsung Smart Doorlock
Download the free mobile app, Samsung Smart Doorlock from the iTunes App Store™ or Google Play™ for the Samsung smart IoT doorlock service.



Access log (Wi-Fi)
Check all entries and exits with mobile application.

Real-time access notification
Be notified with push message on your smartphone in real-time when your family returns.



Smart bell
When any visitor rings the smart bell icon on the door lock, you will receive a push message in real-time.


Smart open
Even if you are out of home, you can remotely unlock the door with the mobile application.
* Available only on 'Samsung Smart Doorlock' (mobile app)



Duration passcode
Regular visitor can enter your home with duration passcode at the certain period of time.

SAMSUNG CONNECTED DOORLOCK

sHome Doorlock
Download the free mobile app, sHome Doorlock from the iTunes App Store™ or Google Play™ for the Samsung connected doorlock service.




Access log (Bluetooth)
Check all entries and exits with mobile application.

Real-time access notification
Be notified with push message on your smartphone in real-time when your family returns.



Samsung SDS's advanced data security technology
Support the secured user authentication and the data protection with the light-weighted end-to-end secure tunneling technology.


Smart open
Even if you are out of home, you can remotely unlock the door with the mobile application.
* Available only on 'sHome Doorlock' (mobile app)



One-time passcode
Issue one-time passcode to your visitor with mobile application.



SMART IoT DOORLOCK



Smart open

Even if you are out of home, you can remotely unlock the door with the mobile application.



Fingerprint access

Just one touch with your finger to unlock the door with fast and accurate fingerprint sensor.




Push-Pull lever

Simply push or pull the big lever to open or close the door.



Voice guidance

Voice command to guide the user for setup and use



Real-time access notification

Be notified with push message on your smartphone in real-time when your family returns.



Emergency power supply

When the batteries are discharged, you can temporarily power the door lock with the portable power bank (Micro USB 5-pin).

SHP-DP609

- Access log
- Duration passcode
- One-time passcode
- Smart bell
- Doorlock status alert
- NFC mobile key
- Intrusion alarm
- Randomizer
- Volume adjustment
- Welcome function
- Double authentication
- Away mode
- Incorrect entry alarm
- Low battery notification
- High temperature alarm
- Auto locking
- Intuitive LED touch pad
- LED status icons
- Do not enter mode
- Emergency key

Specification

Accessibilities	Fingerprint, Mobile application, NFC mobile key, Passcode, RF key tag, Emergency key
Passcode	4~ 12 digit number combination
Door thickness	AML240 : 40~60mm / AML340 : 61~81mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size (WxHxD)	Exterior body : 88(W) x 391(H) x 68.5(D)mm Interior body : 86.2(W) x 392.1(H) x 63.8(D)mm
Color	Silver



IoT Service Pack
Required for its mobile application services of Samsung Smart IoT Doorlock (SHP-DP609).



CONNECTED DOORLOCK

SHP-DS705

- Access log
- Real-time access notification
- Intrusion alarm
- Randomizer
- Volume adjustment
- Welcome function
- Auto locking
- Incorrect entry alarm
- Low battery notification
- High temperature alarm
- Do not enter mode
- Emergency power supply

Specification

Accessibilities	Mobile application, Passcode, Key tag
Passcode	4 ~12 digit number combination
Power	AA Alkaline battery X 4 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size (WxHxD)	Exterior body : 82.8(W) x 19(D) mm Interior body : 140(W) x 106(H) x 44(D)mm
Color	Black



Fingerprint access

Just one touch with your finger to unlock the door with fast and accurate fingerprint sensor.



Randomizer

Before entering the passcode, you will enter two random digits, making it difficult to guess with the finger marks.



Intuitive LED touch pad

Orange backlit touch pad helps you unlock the doorlock in the dark.




Double authentication

Both passcode and fingerprint are needed to unlock the door. You can set this function to enhance the door lock security.



Vacation mode

Once you set 'Vacation mode' the alarm gets activated, even if anyone opens the door from inside.



Smart open

Even if you are out of home, you can remotely unlock the door with the mobile application.

SHP-DH538

- Intrusion alarm
- Volume adjustment
- Double authentication
- Vacation mode
- Incorrect entry alarm
- Low battery notification
- High temperature alarm
- Auto locking
- LED status icons
- Do not enter mode
- Emergency key
- Emergency power supply

Specification

Accessibilities	Fingerprint, Passcode, Emergency key
Passcode	4~12 digit number combination
Door thickness	AML240 : 40~60mm / AML340 : 61~80mm
Power	AA Alkaline battery X 4 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size (WxHxD)	Exterior body : 81.9(W) x 320(H) x 66.8(D)mm Interior body : 79(W) x 290(H) x 80.3(D)mm
Color	Copper, Dark brown

DIGITAL DOORLOCK



DIGITAL DOORLOCK



Low battery notification

When the batteries are running low, the doorlock informs you with a melody and an LED icon.



Intrusion alarm

Attempted forced entry or tampering to pass the door lock will set off the alarm immediately.



Do not enter mode

To block unwanted access from outside, you can press and hold the 'CLOSE' button for 3 seconds.



Fingerprint access

Just one touch with your finger to unlock the door with fast and accurate fingerprint sensor.



Welcome function

Approaching the door will automatically activate the touch pad allowing convenient passcode entry.



Push-Pull lever

Simply push or pull the big lever to open or close the door.

SHS-H505

- Randomizer
- Volume adjustment
- Double authentication
- Vacation mode
- Incorrect entry alarm
- High temperature alarm
- Auto locking
- Emergency key
- Emergency power supply

Specification

Accessibilities	Passcode, Key tag, Emergency key
Passcode	4~12 digit number combination
Door thickness	AML240 : 40~60mm / AML340 : 61~80mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size (WxHxD)	Exterior body : 81.9(W) x 302.4(H) x 66.1mm(D) Interior body : 79.0(W) x 290.0(H) x 80.3mm(D)
Color	Gold, Black, Bronze, Brown



SHS-P718


- Intrusion alarm
- Randomizer
- Volume adjustment
- Double authentication
- Vacation mode
- Incorrect entry alarm
- Low battery notification
- High temperature alarm
- Auto locking
- LED status icons
- Do not enter mode
- Emergency key
- Emergency power supply

Specification

Accessibilities	Fingerprint, Passcode, Key tag, Emergency key
Passcode	4~12 digit number combination
Door thickness	AML240 : 40~60mm / AML340 : 61~80mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size (WxHxD)	Exterior body : 85(W) x 387(H) x 61(D)mm Interior body : 86(W) x 354.8(H) x 63(D)mm
Color	Gold, Black, Bronze, Brown







South India Agencies was established in 1993 as a distributor and supplier of branded architectural, builder’s hardware and furniture fittings.
As an ISO Certified and CRISIL rated company, we have been servicing our clients for over three decades.
We are a One-Stop Solutions provider for all the architectural hardware requirements.

SIA’s services division provides customised solutions as per the client’s requirements through a variety of state-of-the-art technology driven products and services.
We have a network of channel partners across several states who are associated with us to provide best in class products and services.



Lotus Logistics is an enterprise of South India Agencies.
It was established in the year 1998 with a focus of getting best in class products from across the continents to its customers in India.
Both South India Agencies and Lotus Logistics today represent some of the niche names in the industry.

OUR REPRESENTATIVE BRANDS



MEMO

